## f ullet HW series premium quality FM approved safety storage products



### **PRODUCT FEATURES:**

All welded double wall 18 Gauge construction with 1 1/2"" insulating air space

2" leakproof sill to contain spills

Lockable 3 point self latching flush mounted paddle handle with Keys

Radius door & tub edges

Doors are double walled. 14 gauge outside & 18 gauge inside

4" heavy duty welded hinges with brass pins

Twin 2" flame arrestor vents

Adjustable leveling feet and grounding connector

Powder coated finish

Safety signage in large red letters. French & English

SP Galvanized steel shelves adjust on 2 1/2" centers

Meets OSHA, NFPA 30 & UFC 79 Standards

FM Approved

### **COLOURS**











### **DESIGN FEATURES**



4" Heavy duty welded hindge with brass pin




Improved self—latching doors employ spring latches for easier and safer closing



Flush mounted locking handle provides obstruction free finger tip operation

### **DOOR STYLES**



Concealed Self-closing, Self-latching Door



Bi-folding, Self-closing and Self-latching Door, with fusible link



## W HWF FLAMMABLE LIQUID SAFETY CABINETS (CANS) NEW!

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space

2" leakproof sill to contain leaks

Lockable flush mounted handle (gripper pad) with 2 keys

Doors have 3 point locking system and radius edges

Doors are double walled, 14 gauge outside & 18 gauge

4" heavy duty welded hinges with brass pins
Twin 2" flame arrester vents

Adjustable leveling feet

Powder coated yellow finish (see options)

Safety signage in large red letters

Galvanized steel shelves adjust on 2-1/2" centers

Grounding connector

Meets OSHA and NFPA code 30 & UFC 79 standards

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons







HWF FLAM	MABLE LIQ	JID SAFET	Y CABINE	TS FOR FLAMMABLES IN SAFETY CANS					
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS H X W X D	SHELVES	FM	M WT	S WT	B WT
HWF6M	HWF6S		6	FLAMMABLE LIQUID SAFETY CABINET 1 DOOR 22 X 23 X 18	1	N	110	130	
HWF12M	HWF12S		12	FLAMMABLE LIQUID SAFETY CABINET 1 DOOR 35 X 23 X 18	1	γ	140	160	
HWF18M	HWF18S		18	FLAMMABLE LIQUID SAFETY CABINET 1 DOOR 44 X 23 X 18	1	γ	170	190	
HWF24M	HWF24S		24	FLAMMABLE LIQUID SAFETY CABINET 1 DOOR 65 X 23 X 18	2	Υ	234	254	
HWF40M	HWF40S		40	FLAMMABLE LIQUID SAFETY CABINET 1 DOOR 44 X 23 X 34	1	γ	270	290	
HWF22M	HWF22S		22	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 35 X 34 X 18	1	γ	170	190	
HWF28M	HWF28S		28	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 44 X 34 X 18	1	γ	220	240	
HWF30M	HWF30S	HWF30B	30	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 44 X 43 X 18	1	γ	240	260	270
HWF44M	HWF44S		44	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 65 X 34 X 18	2	γ	290	310	
HWF45M	HWF45S	HWF45B	45	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 65 X 43 X 18	2	γ	358	378	388
HWF60M	HWF60S	HWF60B	60	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 65 X 34 X 34	2	γ	430	450	460
HWF90M	HWF90S	HWF90B	90	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 65 X 43 X 34	2	γ	470	490	500
HWF120M			120	FLAMMABLE LIQUID SAFETY CABINET 2 DOOR 65 X 59 X 34	2	Υ	540		
HWVC120M			120	FLAMMABLE LIQUID SAFETY CABINET COMBO UNIT 1 DRUM & 12 - 5GAL CANS	2	Υ	540		

## **HWP PAINT & INK SAFETY STORAGE CABINETS - NEW!**

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space 2" leakproof sill to contain leaks Lockable flush mounted handle (gripper pad) with 2 keys Doors have 3 point locking system and radius edges Doors are double walled, 14 gauge outside & 18 gauge inside 4" heavy duty welded hinges with brass pins Twin 2" flame arrester vents Adjustable leveling feet

## Powder coated red finish (see options)

Safety signage in large red letters Galvanized steel shelves adjust on 2-1/2" centers

Grounding connector

Meets OSHA and NFPA code 30 & UFC 79 standards

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons



FM

\* Factory Mutual Approval Designed in Accordance with NFPA and OSHA standards

## **AVAILABLE IN:**

**Standard Colour Red** 

HWP PAINT	HWP PAINT & INK SAFETY CABINETS								
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS HXWXD	SHELVES	FM	M WT	S WT	B WT
HWP12M	HWP12S		12	SAFETY FLAMMABLE CABINET FOR PAINTS 22 X 23 X 18	1	Υ	120	140	
HWP18M	HWP18S		18	SAFETY FLAMMABLE CABINET FOR PAINTS 35 X 23 X 18	2	Υ	150	170	
HWP24M	HWP24S		24	SAFETY FLAMMABLE CABINET FOR PAINTS 44 X 23 X 18	3	Υ	180	200	
HWP36M	HWP36S		36	SAFETY FLAMMABLE CABINET FOR PAINTS 65 X 23 X 18	5	Υ	240	260	
HWP48M	HWP48S	HWP48B	48	SAFETY FLAMMABLE CABINET FOR PAINTS 44 X 43 X 18	3	Υ	268	286	296
HWP72M	HWP72S	HWP72B	72	SAFETY FLAMMABLE CABINET FOR PAINTS 65 X 43 X 18	5	Υ	400	420	430
HWP96M	HWP96S	HWP96B	96	SAFETY FLAMMABLE CABINET FOR PAINTS 65 X 34 X 34	5	Υ	472	492	502
HWP120M	HWP120S	HWP120B	120	SAFETY FLAMMABLE CABINET FOR PAINTS 65 X 43 X 34	5	Υ	500	520	512

## W HWU UNDER COUNTER FLAMMABLE LIQUID SAFETY CABINETS - NEW!

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space Furniture type kickplate (3"d x 4"h) 2" leakproof sill to contain leaks Lockable flush mounted handle with 2 keys Door(s) have 3 point locking system and radius edges Door(s) are double walled, 14 gauge outside & 18 gauge inside 4" heavy duty welded hinges with brass pins Twin 2" flame arrester vents mounted on back wall Galvanized steel shelves, adjust on 2-1/2" centers Adjustable leveling feet Powder coated yellow finish (see options) Safety signage in large red letters Grounding connector





HWU UNDER COUNTER FLAMMABLE LIQUID SAFETY CABINETS									
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS HXWXD	SHELVES	FM	M WT	S WT	B WT
HWU12M	HWU12S		12	UNDER COUNTER FLAMMABLE LIQUID CABINET 35 X 24 X 22 1 DOOR	1	Υ	140	160	
HWU22M	HWU22S		22	UNDER COUNTER FLAMMABLE LIQUID CABINET 35 X 36 X 22 2 DOORS	1	Υ	170	190	
HWU30M	HWU30S		30	UNDER COUNTER FLAMMABLE LIQUID CABINET 35 X 48 X 22 1 DOOR	1	Υ	220	240	

## **HWV VERTICAL DRUM FLAMMABLE LIQUID SAFETY CABINETS - NEW!**

removal

-120 gallons

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space 2" leak proof sill to contain leaks Lockable flush mounted handle (gripper pad) with 2 keys Doors have 3 point locking system and radius edges Doors are double walled, 14 gauge outside & 18 gauge inside 4" heavy duty welded hinges with brass pins Twin 2" flame arrester vents Adjustable leveling feet Powder coated yellow finish (see options) Safety signage in large red letters Galvanized steel depth shelf adjust on 2-1/2" centers

> Grounding connector Meets OSHA and NFPA code 30 & UFC 79 standards FM Approved

Complete with conveyor rollers for ease of drum entry &

MODEL HWV120M **Exterior Dimensions** (H x W x D) MODEL HWV55M (65 x 59 x 34)" FM **Exterior Dimensions** (H x W x D) (65 x 34 x 34)" \* Factory Mutual Approval

HWV VERTICAL DRUM FLAMMABLE LIQUID SAFETY CABINETS									
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS	SHELVES	FM	M WT	S WT	B WT
HWV55M	HWV55S		1 X (55)	SAFETY CABINET VERTICAL 55 GAL DRUM 65 X 34 X 34 C/W ROLLERS	1	γ	366	564	
HWV120M			2 X (55)	SAFETY CABINET VERT 2 X 55 GAL DRUM 65 X 59 X 34 C/W ROLLERS	1	Υ	544		

Designed in Accordance with NFPA

and OSHA standards

# **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space 2" leakproof sill to contain leaks Lockable flush mounted handle (gripper pad) with 2 keys Door(s) have 3 point locking system and radius edges Door(s) are double walled, 14 gauge outside & 18 gauge inside 4" heavy duty welded hinges with brass pins Twin 2" flame arrester vents mounted on back wall Galvanized steel shelves, adjust on 2-1/2" centers Adjustable leveling feet with rubber caps Powder coated yellow finish (see options) Safety signage in large red letters Grounding connector Meets OSHA, and NFPA code 30 Chemical storage maximum - Class I & II - 60 gallons, Class III



HWV COUN	HWV COUNTER TOP OR STACKABLE SAFETY CABINET							
MANUAL DOOR	SELF-CLOSE	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS	SHELVES	FM	M WT	S WT	B WT
HWST11M	HWST11S		STACKABLE SAFETY CABINET 22 X 34 X 18	0	γ	160	165	
HWST15M	HWST15S		STACKABLE SAFETY CABINET 22 X 43 X 18	1	γ	190	195	

## W HWC ACID CORROSIVE SAFETY CABINETS - NEW!

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space

2" leakproof sill to contain leaks

Lockable flush mounted handle (gripper pad) with 2 keys

Doors have 3 point locking system and radius edges

Doors are double walled, 14 gauge outside & 18 gauge inside

4" heavy duty welded hinges with brass pins

Twin 2" flame arrester vents

Adjustable leveling feet

Powder coated blue finish

Safety signage in large white letters

Galvanized steel shelves adjust on 2-1/2" centers

Polyethylene tray liner for shelves & sill

Grounding connector

### **AVAILABLE IN:**

Manual close doors (open to full 180°)

Self-close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165°

Bi fold doors (shut and latch automatically as fusible link melts under fire conditions at 165°)



MODEL HWC45M Exterior Dimensions (H x W x D) (65 x 43 x 18)"



MODEL HWC30M Exterior Dimensions (H x W x D) (44 x 43 x 18)"



\* Factory Mutual Approval
Designed in Accordance with NFPA
and OSHA standards

POLY SHELVES HWPT18X43 18"D X 43" W



HWC ACID	HWC ACID CORROSIVE SAFETY CABINETS									
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS H X W X D	SHELVES	FM	M WT	S WT	B WT	
HWC6M	HWC6S		6	ACID & CORROSIVE SAFETY STORAGE CABINET 22 X 23 X 18	1	Υ	120	140		
HWC12M	HWC12S		12	ACID & CORROSIVE SAFETY STORAGE CABINET 35 X 23 X 18	1	Υ	140	160		
HWC18M	HWC18S		18	ACID & CORROSIVE SAFETY STORAGE CABINET 44 X 23 X 18	1	Υ	170	190		
HWC24M	HWC24S		24	ACID & CORROSIVE SAFETY STORAGE CABINET 65 X 23 X 18	1	Υ	234	254		
HWC30M	HWC30S	HWC30B	30	ACID & CORROSIVE SAFETY STORAGE CABINET 44 X 43 X 18	1	Υ	248	268	278	
HWC45M	HWC45S	HWC45B	45	ACID & CORROSIVE SAFETY STORAGE CABINET 65 X 43 X 18	2	Υ	370	390	400	
HWC60M	HWC60S	HWC360B	60	ACID & CORROSIVE SAFETY STORAGE CABINET 65 X 34 X 34	2	Υ	442	462	472	

HWUC UNE	HWUC UNDER COUNTER ACID CORROSIVE SAFETY CABINETS										
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS H X W X D	SHELVES	FM	M WT	S WT	B WT		
HWUC12M	HWUC12S		12	UNDER COUNTER ACID & CORROSIVE CABINET 35 X 24 X 22 1 DOOR	1	γ	140	160			
HWUC22M	HWUC22S		22	UNDER COUNTER ACID & CORROSIVE CABINE 35 X 36 X 22 2 DOORS	1	Υ	170	190			
HWUC30M	HWUC30S		30	UNDER COUNTER ACID & CORROSIVE CABINE 35 X 48 X 22 1 DOOR	1	Υ	220	240			

## W HWPEST PESTICIDE SAFETY CABINETS - NEW!

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space

2" leakproof sill to contain leaks

Lockable flush mounted handle (gripper pad) with 2 keys

Doors have 3 point locking system and radius edges

Doors are double walled, 14 gauge outside & 18 gauge inside

4" heavy duty welded hinges with brass pins

Twin 2" flame arrester vents

Adjustable leveling feet

Powder coated forest green finish

Safety signage in large red letters

Galvanized steel shelves adjust on 2-1/2" centers

Polyethylene tray liner for shelves & sill

Grounding connector



\* Factory Mutual Approval Designed in Accordance with NFPA and OSHA standards MODEL HWPEST30M
Exterior Dimensions
(H x W x D)
(44 x 43 x 18)"

PEST PEST	PEST PESTICIDE SAFETY CABINETS									
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS	SHELVES	FM	M WT	S WT	B WT	
HWPEST6M	HWPEST6S		6	PESTICIDE SAFETY CABINET 22 X 23 X 18	1	N	120	140		
HWPEST12M	HWPEST12S		12	PESTICIDE SAFETY CABINET 35 X 23 X 18	1	Υ	140	160		
HWPEST18M	HWPEST18S		18	PESTICIDE SAFETY CABINET 44 X 23 X 18	1	Υ	170	190		
HWPEST24M	HWPEST24S		24	PESTICIDE SAFETY CABINET 65 X 23 X 18	2	Υ	234	254		
HWPEST30M	HWPEST30S	HWPEST30B	30	PESTICIDE SAFETY CABINET 44 X 43 X 18	1	Υ	248	268	268	
HWPEST45M	HWPEST45S	HWPEST45B	45	PESTICIDE SAFETY CABINET 65 X 43 X 18	2	Υ	370	390	390	
HWPEST60M	HWPEST60S	HWPEST60B	60	PESTICIDE SAFETY CABINET 65 X 34 X 34	2	Υ	442	462	462	

## f ullet HWL FLAMMABLE LIQUID SAFETY CABINETS WITH LEGS - NEW!

### **PRODUCT FEATURES:**

All welded double wall 18 gauge construction with 1-1/2" insulating air space  $\frac{1}{2}$ 

2" leakproof sill to contain leaks

Lockable flush mounted handle (gripper pad) with 2 keys

Doors have 3 point locking system and radius edges

Doors are double walled, 14 gauge outside & 18 gauge inside

4" heavy duty welded hinges with brass pins

Twin 2" flame arrester vents

Adjustable leveling feet

5" high feet

### Legs allow moving unit with fork lift truck

Powder coated yellow finish (see options)

Safety signage in large red letters

Galvanized steel shelves adjust on 2-1/2" centers

Grounding connector

Meets OSHA and NFPA code 30 & UFC 79 standards



MODEL HWL45M Exterior Dimensions (H x W x D) (69 x 43 x 18)"



HWL FLAM	MABLE LI	QUID SA	FETY CA	BINETS WITH LEGS					
MANUAL DOOR	SELF-CLOSE	BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS	SHELVES	FM	M WT	S WT	B WT
HWL28M	HWL28S		28	SAFETY CABINET 2 DOOR 48 X 34 X 18	1	Υ	230	250	
HWL30M	HWL30S	HWL30B	30	SAFETY CABINET 2 DOOR 48 X 43 X 18	2	Υ	250	270	290
HWL44M	HWL44S	HWL45B	44	SAFETY CABINET 2 DOOR 69 X 34 X 18	2	Υ	300	320	388
HWL45M	HWL45S	HWL60B	45	SAFETY CABINET 2 DOOR 69 X 43 X 18	2	Υ	368	388	460
HWL60M	HWL60S	HWL90B	60	SAFETY CABINET 2 DOOR 69 X 34 X 34	2	Υ	440	460	500
HWL90M	HWL90S		90	SAFETY CABINET 2 DOOR 69 X 43 X 34	2	Υ	480	500	
HWL120M			120	SAFETY CABINET 2 DOOR 69 X 59 X 34	2	Υ	550		

## W HWOG/LP OXYGEN GAS/LIQUID PROPANE VERTICAL SECURITY STORAGE CABINETS - NEW!

### **PRODUCT FEATURES:**

Lockable mesh doors with slide bolt hasp (no lock)

All welded - ready to use

13 gauge flattened mesh sides

14 gauge top

1-1/2" x 3/16" thick corner angles

Foot pads with pre-drilled holes

Powder coated safety yellow

Safety signage in large red letters

Adjustable Safety retention chains

Meets OSHA 1910



HWOG OXYGEN GAS SAFETY / SECURITY STORAGE CABINETS									
MANUAL DOOR SELF-CLOSE BI-FOL	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS	SHELVES	FM	M WT	S WT	B WT		
OG10S	10	VERTICAL GAS CYLINDER CABINET 70 X 33 X 38	0	γ	204				
OG20S	10 TO 20	VERTICAL GAS CYLINDER CABINET 70 X 60 X 38	0	Υ	360				

HWLP LIQUID PROPANE VI	ERTICAL	SECURITY STORAGE CABINETS					
MANUAL DOOR SELF-CLOSE BI-FOLD	CAPACITY	PRODUCT DESCRIPTION & DIMENSIONS	SHELVES	FM	M WT	S WT	B WT
LP2VS	2	VERTICAL GAS CYLINDER CABINET 35 X 18 X 30	1		170		
LP4VS	4	VERTICAL GAS CYLINDER CABINET 35 X 30 X 30	1				
LP6VS	6	VERTICAL GAS CYLINDER CABINET 35 X 42 X 30	1				
LP8VS	8	VERTICAL GAS CYLINDER CABINET 70 X 30 X 30	2		280		
LP12VS	12	VERTICAL GAS CYLINDER CABINET 70 X 33 X 38	2		340		
LPOG	COMBO	COMBINATION CYLINDER CABINET 70 X 62 X 38	2		490		

## W HWS ADDITIONAL SHELVES & ACCESSORIES - NEW!

### **PRODUCT FEATURES:**

Add more shelving to increase space or replace damaged shelves with HW Series premium galvanized finished shelves

Available in a variety of sizes to fit every HW Series Safety Cabinet

HW Series polyethylene shelf trays are designed to contain Chemical / Flammable Liquid Spills and help protect the cabinet interior against the effects of corrosion



SORIES
PRODUCT DESCRIPTION & DIMENSIONS
ADDITIONAL SHELVING FOR CABINETS 18"D X 23" W
ADDITIONAL SHELVING FOR CABINETS 18"D X 43" W
ADDITIONAL SHELVING FOR CABINETS 34"D X 34" W
ADDITIONAL SHELVING FOR CABINETS 34"D X 43" W
ADDITIONAL SHELVING FOR CABINETS 34"D X 59" W
ADDITIONAL POLY TRAY FOR CABINETS 18"D X 23" W
ADDITIONAL POLY TRAY FOR CABINETS 18"D X 43" W
ADDITIONAL POLY TRAY FOR CABINETS 34"D X 34" W
ADDITIONAL POLY TRAY FOR CABINETS 34"D X 43" W