Check out these COOL deals!

ROOFER'S KIT

- 3-point adjustable harness with mating buckles
- 1 back D-ring, and 2 tear away lanyard keepers
- Rope grab with 30" energy absorbing lanyard
- 50' polyester vertical lifeline with snap hook
- Reusable roof anchor with screws
- Storage bucket and lid
- Harness: One Size

Model No. SGW578 MFG No. FPRK099Y50

Z2500 SERIES SAFETY GLASSES

- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible temples provide superior comfort and fit
- Distortion-free
- Standard(s) Met: CSA Z94.3/ANSI Z87+
- Must be ordered in multiples of 12



PROMO PRICE

SDN707

| Model No. | Lens Tint | Lens Coating | PROMO PRICE |
|--------------|-----------------------|-----------------|----------------|
| SDN702 | Grey/Smoke | Anti-Scratch | 2.60 |
| SDN705 | Indoor/Outdoor Mirror | Anti-Scratch | 2.75 |
| SDN708* | Grey/Smoke | Anti-Scratch | 4.05 |
| SDN709* | Indoor/Outdoor Mirror | Anti-Scratch | 4.35 |

*With removable foam gasket

DELINEATOR POSTS

• Standard 42"-high post with indentations for easier grip

SGJ239

- 100% LDPE construction offers maximum flexibility and durability
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" high intensity reflective tape collars

HIGH-VISIBILITY DELINEATOR POSTS

Perfect for parking lots, hotels and airport

PREMIUM DELINEATOR POSTS

- Superior temperature resistance in hot and cold environments
- Two pre-applied 4" 3MTM high intensity reflective tape collars
- Handle Height: 5-1/2"

| Model | | | PROMO |
|---------------|-----------------------------|-------------|-------|
| No. | Base | Dimensions" | PRICE |
| HIGH-V | ISIBILITY DELINEATOR | POSTS | |
| SGJ239 | Octagonal with handle | 16 x 16 | 29.00 |
| SGJ240 | Rectangular | 15 x 17 | 28.45 |
| PREMIU | M DELINEATOR POST | 5 | |
| SEC153 | Octagonal with handle | 16 x 16 | 31.80 |
| SGG105 | Rectangular | 15 x 17 | 31.80 |
| | | | |

ZENTH

PROMO PRICE

SGG105

ZENTH

RZ PONCHO

- 0.10-mm thick unsupported single-ply PVC material
- Ultrasonically-welded seams
- One size fits all
- Colour: Yellow

Model No. SEH121



Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.

FLAME-RESISTANT HIGH VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: CSA Z96 Class 2, Level 2





PROMO PRIC

| Model | | Model | |
|-----------|---------------|---------------|--------------------|
| No. | Size | No. | Size |
| HIGH VISI | BILITY ORANGE | HIGH VISI | BILITY LIME-YELLOW |
| SGF136 | Medium | SGF140 | Medium |
| SGF137 | Large | SGF141 | Large |
| SGF138 | X-Large | SGF142 | X-Large |
| SGF139 | 2X-Large | SGF143 | 2X-Large |
| | 0 | | 8 |

CSA COMPLIANT TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" reflective stripes offer maximum nighttime visibility
- · Front hook and loop closure permits optimal fitting
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2

SGI277



PROMO PRICE





| Model | | Model | |
|-----------|---------------|---------------|--------------------|
| No. | Size | No. | Size |
| HIGH VISI | BILITY ORANGE | HIGH VISIE | BILITY LIME-YELLOW |
| SGI273 | Medium | SGI277 | Medium |
| SGI274 | Large | SGI278 | Large |
| SGI275 | X-Large | SGI279 | X-Large |
| SGI276 | 2X-Large | SGI280 | 2X-Large |

CSA COMPLIANT HIGH-VISIBILITY ZENTH SURVEYOR VESTS

SGZ627

- Lightweight and comfortable fluorescent solid polyester provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- · Safety D-ring access slot
- Colour: High Visibility Orange
- Standard(s) Met: CSA Z96 Class 2 Level 2

Model





CSA COMPLIANT HIGH ZENUTH VISIBILITY SURVEYOR VESTS Lightweight and comfortable fluorescent sports

- mesh knit fabric provides daytime visibility
- 4" reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Includes: Clear plastic
- pocket for ID badges • Standard(s) Met:
- CSA Z96 Class 2, Level 2



SEK232

PROMO

| Model | | PROMO | |
|-----------------|------------|-------|--|
| No. | Size | PRICE | |
| HIGH VIS | IBILITY OR | ANGE | |
| SEF101 | Medium | 12.75 | |
| SEF102 | Large | 12.75 | |
| SEF103 | X-Large | 12.75 | |
| SEF104 | 2X-Large | 12.75 | |

| Size | PRICE |
|-------------|--|
| IBILITY LIM | E-YELLOW |
| Medium | 12.75 |
| Large | 12.75 |
| X-Large | 12.75 |
| 2X-Large | 12.75 |
| | IBILITY LIM Medium Large X-Large |

Model





TRAFFIC SAFETY VESTS

• High-visibility lightweight polyester mesh provides daytime visibility • 2" yellow reflective stripes

- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
 - · Colour: High Visibility Orange

| Model | |
|--------|----------|
| No. | Size |
| SEF093 | Medium |
| SEF094 | Large |
| SEF095 | X-Large |
| SEF096 | 2X-Large |

CSA COMPLIANT T-SHIRTS

- Fluorescent 100% polyester "bird's eye" mesh material
- 3" fluorescent dual reflective stripes



14.75

SEF112

2X-Large

14.75

SEF117

TRAFFIC HARNESSES

2X-Large

• 1-1/2" reflective stripes

SEL246

• Elasticized material permits optimal fit · Four strap adjusters and front clip

SGZ622

for maximum adjustability · Reflective Colour: Silver



| Model No. | Size | PROMO PRICE | Model No. | Size | PROMO PRICE |
|---------------|------------|----------------|---------------|------------|----------------|
| | IBILITY OR | ANGE | | BILITY LIM | E-YELLOW |
| SGZ622 | Medium | 8.50 | SEF117 | Medium | 8.50 |
| SGZ623 | Large | 8.50 | SEF118 | Large | 8.50 |
| SGZ624 | X-Large | 8.50 | SEF119 | X-Large | 8.50 |
| SGZ625 | 2X-Large | 8.50 | SEF120 | 2X-Large | 8.50 |
| SGZ626 | 3X-Large | 8.50 | SEF121 | 3X-Large | 8.50 |

ARM & LEG BANDS SEF122 • 2" lime-yellow/silver reflective bands • Hook and loop closure permits optimal fit · Available in various lengths ZENTH Sold individually PROMO Model Model PROMO PRICE PRICE No. Length" No. Length" SEF125 **SEF122** 2.65 2.65 10 15 **SEF123** 12 **SEF126** 17 2.65 2.65 **SEF124**

2.65

SEF127

19

2.65

ZENOTH

SGO334

COOLING BANDANAS

- Helps fight heat stress and fatigue
- Soak 2-5 minutes in water to activate

13-1/2

- · Remains hydrated for at least 4 hours
- One size fits all
- Material: Cotton

| Model | | PROMO | |
|--------|--------|-------|---------|
| No. | Colour | PRICE | |
| SGO333 | Blue | 2.70 | |
| SGO334 | Red | 2.70 | \$GO333 |

SGW783

INSTANT COLD COMPRESSES

- · For relief of pain and swelling caused by sprains, strains, contusions, and other minor injuries
- Easy to use cold therapy without the mess of ice or ice cubes
- No refrigeration needed
- Convenient and portable
- Single Use
- Medical Device Class: Class 1



ZEN

| Model | | PROMO |
|--------|-------------|-------|
| No. | Dimensions" | PRICE |
| SGW783 | 5 x 6 | 0.75 |
| SGX568 | 6 x 9 | 0.95 |

INSTANT HOT COMPRESS

- Instant warm therapy for relief of sore muscles, muscle spasms and joint stiffness
- Stays warm for up to 30 minutes
- Reaches temperatures of up to 45°C (113°F)
- Convenient and portable
- Dimensions: 6" x 9"
- Single Use
- Medical Device Class: Class 1

Model No. SGX053





RZ100 RAIN SUITS

• 0.35 mm thick PVC/polyester/PVC material • Jacket features storm flap, dome snaps, two patch pockets, corduroy collar, detachable hood, cape back, and underarm vents • Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders

• Ankle and cuff take-up snaps • Ultrasonically-welded seams

| Model | | PROMO |
|--------|----------|-------|
| No. | Size | PRICE |
| SEH078 | Small | 15.50 |
| SEH079 | Medium | 15.50 |
| SEH080 | Large | 15.50 |
| SEH081 | X-Large | 15.50 |
| SEH082 | 2X-Large | 15.50 |
| SEH083 | 3X-Large | 15.80 |
| SEH084 | 4X-Large | 16.15 |

RZ300 RAIN SUITS

- 0.20 mm thick unsupported yellow PVC material
- Jacket features storm flap, dome snaps, two patch pockets and a detachable hood
- · Bib overall pants feature fly front
- · Ankle and cuff take-up snaps
- Ultrasonically-welded seams

| Model | | PROMO |
|--------|----------|-------|
| No. | Size | PRICE |
| SEH092 | Small | 14.00 |
| SEH093 | Medium | 14.00 |
| SEH094 | Large | 14.00 |
| EH095 | X-Large | 14.00 |
| SEH096 | 2X-Large | 14.20 |
| SEH097 | 3X-Large | 14.20 |
| SEH098 | 4X-Large | 15.15 |

RZ600 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness, yellow PVC/ Polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
 - Cape back and underarm vents
 - Bib overall pants come with fly
 - front and adjustable suspenders • Standard(s) Met: CGSB 155.20
- ZENTH Model PROM PRIC Size **SEH106** Small 19.9 **SEH107** Medium 19.9 **SEH108** 19.9

Large

X-Large

No.

SEH109

| ОМО | Model | | PROMO |
|-------|--------|----------|-------|
| PRICE | No. | Size | PRICE |
| 19.95 | SEH110 | 2X-Large | 19.95 |
| 19.95 | SEH111 | 3X-Large | 20.45 |
| 19.95 | SEH112 | 4X-Large | 20.85 |
| 19.95 | | | |

RZ200 LONG RAIN COATS

- 0.35 mm material thickness, yellow PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood

ZENTH

Size

2X-Large

3X-Large

4X-Large

- Cape back and underarm vents
- Cuff take-up snaps
- Flame resistant
- Ultrasonically welded seams

| Model | | PROMO | Model |
|--------|---------|-------|---------------|
| No. | Size | PRICE | No. |
| SEH085 | Small | 13.40 | SEH089 |
| SEH086 | Medium | 13.40 | SEH090 |
| SEH087 | Large | 13.40 | SEH091 |
| SEH088 | X-Large | 13.40 | |

RZ500 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness, yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- · Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Standard(s) Met: CGSB 155.20

| | | | | Safety Products | - |
|--------------|---------|----------------|--------------|-----------------|----------------|
| Model No. | Size | PROMO PRICE | Model No. | Size | PROMO PRICE |
| | | | | | |
| SEH099 | Small | 24.25 | SEH103 | 2X-Large | 24.25 |
| SEH100 | Medium | 24.25 | SEH104 | 3X-Large | 24.99 |
| SEH101 | Large | 24.25 | SEH105 | 4X-Large | 25.80 |
| SEH102 | X-Large | 24.25 | | | |

RZ1000 HIGH-VISIBILITY RAIN SUITS

- 100% 300D polyester oxford material
- Features ID pocket, snaps, zipper, two patch pockets and detachable hood
- Adjustable wrist cuffs
- Comes with adjustable suspenders
- Adjustable ankle & waist snaps
- · Colour: High Visibility Lime-Yellow
- Reflective Stripe Colour: Silver
- Standard(s) Met: CSA Z96 Class 3 - Level 2

| Model | | PROMO | Model |
|---------------|---------|-------|---------------|
| No. | Size | PRICE | No. |
| SGP356 | Small | 61.95 | SGP360 |
| SGP357 | Medium | 61.95 | SGP361 |
| SGP358 | Large | 61.95 | SGP362 |
| SGP359 | X-Large | 61.95 | |



| | PROMO |
|----------|----------------------|
| Size | PRICE |
| 2X-Large | 61.95 |
| 3X-Large | 62.95 |
| 4X-Large | 63.95 |
| | 2X-Large 3X-Large |



PROMO PRICE

13.40

13.50

13.90



PARKING CURBS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Safer and more durable than concrete or plastic; will not chip, crack or deform
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)
- 6" W x 4" H



| Model | | PROMO | |
|-------------|-----------------|-------|-------|
| No. | Length Required | | PRICE |
| SEH140 | 3' | 3 | 39.20 |
| SEH141 | 6' | 4 | 82.45 |
| REBAR SPIKE | | | |
| SEH144 | 14" | - | 3.85 |

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light

ZENTH

SEH142

- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum nighttime visibility
- Easily installed with 14" rebar spikes for permanentor temporary installation (sold separately)

SEH144

- Capacity: Approx.
 18 tons at 10 km/h
- 11" W x 2" H

SHA660

| Model | | Spikes | PROMO |
|-------------|--------|----------|--------|
| No. | Length | Required | PRICE |
| SPEED BUMPS | | | |
| SEH142 | 4' | 5 | 93.45 |
| SEH143 | 6' | 4 | 133.55 |
| END CAP | | | |
| SHA660 | - | - | 19.60 |
| REBAR SPIKE | | | |
| SEH144 | 14" | - | 3.85 |

COLOURED CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation

| Model | | | Base Dim. | | | PROMO |
|--------|--------|---------|-----------|---|--------|-------|
| No. | Colour | Height" | W" | х | Ľ" | PRICE |
| SEH135 | White | 18 | 10-1/4 | x | 10-1/4 | 11.55 |
| SEH136 | Blue | 18 | 10-1/4 | x | 10-1/4 | 11.55 |
| SEH137 | Yellow | 18 | 10-1/4 | х | 10-1/4 | 11.55 |
| SEH138 | Orange | 18 | 10-1/4 | x | 10-1/4 | 11.55 |
| SEH139 | Green | 18 | 10-1/4 | х | 10-1/4 | 11.55 |
| SEK283 | Red | 18 | 10-1/4 | х | 10-1/4 | 11.55 |
| SDP595 | Orange | 28 | 14 | x | 14 | 18.45 |
| | | | | | | |

PREMIUM TRAFFIC CONES



| Model | | Base | e D | im. | | PROMO |
|---------------------|---------|--------|-----|--------|---------|-------|
| No. | Height" | W" | x | Ľ" | Collar" | PRICE |
| ORANG | E | | | | | |
| SEB768 | 12 | 8-5/8 | х | 8-5/8 | - | 7.45 |
| SEB769 | 18 | 10-1/4 | х | 10-1/4 | - | 12.05 |
| SEB771 | 28 | 13-3/4 | х | 13-3/4 | - | 23.25 |
| SEB770* | 18 | 10-1/4 | х | 10-1/4 | 6 | 17.85 |
| SEB826* | * 28 | 13-3/4 | х | 13-3/4 | 4 | 27.30 |
| SEB772* | 28 | 13-3/4 | х | 13-3/4 | 6 & 4 | 33.05 |
| SGD774 * | 36 | 14-3/4 | x | 14-3/4 | 6 & 4 | 41.30 |
| LIME GR | REEN | | | | | |
| SDS932 | 18 | 10-1/4 | х | 10-1/4 | - | 15.50 |
| SDS933 | 28 | 13-3/4 | х | 13-3/4 | - | 28.30 |
| SDS934* | 18 | 10-1/4 | х | 10-1/4 | 6 | 21.45 |
| SDS935* | 28 | 13-3/4 | х | 13-3/4 | 6 & 4 | 35.75 |
| BLUE | | | | | | |
| SGD694 [®] | ** 28 | 13-3/4 | x | 13-3/4 | 4 | 32.20 |
| YELLOW | / | | | | | |
| SGC936* | * 28 | 13-3/4 | х | 13-3/4 | 4 | 28.65 |

* Meets Minister of Transport regulations for Quebec, Ontario and Alberta ** Meets Minister of Transport regulations for Ontario and Alberta



TRAFFIC CONES

• Temperature resistance in hot and cold environments

• Fluorescent orange colour provides high visibility • Available with 6" and 4" reflective collars

- High-density interlocking base
 - offers maximum stability
 - **SGU800:** Can withstand temperatures -10°C to 60°C




Model Base Dim. PROMO Height" W" x L" PRICE Collar" Material No. **SEF026*** 18 10-1/4 x 10-1/4 6 PVC 13.60 SEF027** 28 13-3/4 x 13-3/4 PVC 23.05 4 6 & 4 **SEF028*** 28 13-3/4 x 13-3/4 PVC 25.55 SGU800** EVA 18.00 28 14.17 x 14.17 4

*Meets Minister of Transport regulations for Quebec, Ontario and Alberta

** Meets Minister of Transport regulations for Ontario and Alberta

RETRACTABLE CONE BARS

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent colour for enhanced daytime visibility
- Reflective tape offers maximum nighttime visibility and safety



TRAFFIC CONE TOPPER

- 9.8' red and white striped belt
- Easier to use than traffic tape
- Fits securely to top of cone to transform traffic cones into a crowd control system
- Durable construction

| | Cone not included |
|--------|----------------------|
| Model | PROMO |
| No. | PRICE |
| SGY103 | 35.35 |



COLLAPSIBLE TRAFFIC CONES

- Made from a durable plastic base and a folding fabric cone
- Internal light flashes for better visibility
- Collapses for easy storageUses a replaceable,
- long-lasting lithium-ion battery
- Includes: (4) Cones, (1) Carrying case
- Colour: Orange
- Reflective Collars: 4



SHA659



| Model | Overall | PROMO |
|--------|---------|-------------|
| No. | Height" | PRICE |
| SHA659 | 18 | 90.35/Pkg. |
| SHA820 | 28 | 113.85/Pkg. |

BARRICADE TAPE

- Warns against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene



| Model | | | Roll | PROMO |
|---------------|-------------|-----------------|------------|-------|
| No. | Message | Colour | Size | PRICE |
| STANDA | ARD DUTY - | 1.5 MIL | | |
| SFJ602 | Caution | Black on Yellow | 3" x 300' | 3.80 |
| SEK397 | Caution | Black on Yellow | 3" x 1000' | 8.25 |
| SEK398 | "Attention" | Black on Yellow | 3" x 1000' | 8.25 |
| SEK399 | Danger | Black on Red | 3" x 1000' | 8.25 |
| SDS739 | Danger | Black on Yellow | 3" x 1000' | 8.25 |
| HEAVY | DUTY - 2 M | ILS | | |
| SEK400 | Caution | Black on Yellow | 3" x 1000' | 12.55 |
| SEK401 | "Attention" | Black on Yellow | 3" x 1000' | 12.55 |
| SEK402 | Danger | Black on Red | 3" x 1000' | 12.55 |
| EXTRA | HEAVY-DUT | Y - 2.5 MILS | | |
| SEK403 | Caution | Black on Yellow | 3" x 1000' | 14.05 |
| SEK404 | "Attention" | Black on Yellow | 3" x 1000' | 14.05 |
| SEK405 | Danger | Black on Red | 3" x 1000' | 14.05 |
| SDS740 | Danger | Black on Yellow | 3" x 1000' | 14.05 |

INDUSTRIAL ENAMEL PAINT

- Offers an economical solution to marking, colour coding and miscellaneous spray paint needs where long term quality and durability are not required
- Dries to touch in 12 minutes
- VT alkyd formulation
- Application: For use on ceramic, plaster, glass, metal, wood and most other surfaces
- Container Size: 16 oz. Net Volume: 10 oz. Paint Base Type: Solvent-Based

| Model | MFG | Colour | | PROMO |
|--------|-----------|--------|-----------|-------|
| No. | No. | Family | Finish | PRICE |
| PAINT | Para . | | | |
| NI478 | A04402007 | Black | Gloss | 7.56 |
| NI492 | A04412007 | Black | Very Flat | 7.56 |
| NI475 | A04404007 | Red | Gloss | 7.56 |
| NI474 | A04413007 | Orange | Gloss | 7.56 |
| NI472 | A04401007 | White | Gloss | 7.56 |
| PRIMER | | | | |
| NI479 | A04418007 | Grey | Very Flat | 7.56 |

2300 SYSTEM TRAFFIC ZONE STRIPING PAINT

- Apply this weather-resistant coating to concrete, gravel or pavement for durability you can count on **RUST-OLEUM**
- Creates up to 450 linear feet/gallon with a 4" stripe · Use with bulk-spray machine, brush or roller
- For use on: Parking lots, stadiums,
- curbs, athletic facilities
- Container Size: 1 gal.

• Surface Coverage: 410-540 linear feet • Ser

| • Series: I | • Series: High Performance 2300 | | KUSI | OLEUM |
|-------------|---------------------------------|--------|-------------|-------|
| Model | MFG | Colour | | PROMO |
| No. | No. | Family | Finish | PRICE |
| KP405 | 2348402 | Yellow | Flat | 61.80 |
| KP406 | 2391402 | White | Flat | 61.80 |
| KP733 | 2326402 | Blue | Flat | 61.80 |

KRYLON

INDUSTRIAL

KP091

INDUSTRIAL OVERHEAD MARKING PAINT

- · Overhead marking paint sprays in an upright position, dries fast and is a low odour formula
- · Penetrates and clings to uneven surface
- · Comes in bright, high visibility fluorescent colours
- Fast drying; dry to the touch in 10 minutes
- VOC & MIR compliant
- Container Size: 20 oz.
- Net Volume: 17 oz.
- Paint Base Type: Water-Based

| Model | MFG | | | PROMO |
|-------|-----------|--------|--------|-------|
| No. | No. | Colour | Swatch | PRICE |
| KP091 | K04001000 | Red | | 13.60 |
| KP092 | K04003000 | Orange | | 13.60 |
| KP093 | K04005000 | Green | | 13.60 |

Note: Colours may not be exactly as shown

WATER BASED MARKING PAINT

- Best resistance to early fading and chalking
- Excellent visibility on concrete, pavement, dirt, gravel, grass and more
- Container Size: 20 oz.. Net Volume: 17 oz.
- Finish: Flat

ORK D

KP405

HIGH

2300 SYSTEM

C ZONE STRIPING

NI478

- Surface Coverage: 400 Linear ft at 1 Inch
- Series: Industrial Choice M1400
- RUST-OLEUM • Must be ordered in multiples of 3

| Model | MFG | | | PROMO |
|-------|--------|------------------------|--------|-------|
| No. | No. | Colour | Swatch | PRICE |
| KP459 | 264693 | Clear | | 6.74 |
| KP452 | 264692 | White | | 6.74 |
| KP453 | 264696 | Red | | 6.74 |
| KP455 | 264694 | Blue | | 6.74 |
| KP456 | 264695 | High Visibility Yellow | | 6.74 |
| KP457 | 264699 | Fluorescent Red-Orange | | 6.74 |
| KP458 | 264700 | Fluorescent Green | | 6.74 |
| KP454 | 264702 | Fluorescent Pink | | 6.74 |
| KP460 | 264697 | Fluorescent Orange | | 6.74 |

INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT

- Bold, bright and visible markings in one pass
- · Adheres to gravel, concrete, grass and soil
- Advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces
- VOC compliant
- Container Size: 20 oz. Net Fill: 17 oz.
- Must be ordered in multiples of 3

| Model | MFG | | | PROMO |
|-------|------------|------------------------|--------|-------|
| No. | No. | Colour | Swatch | PRICE |
| WATER | R-BASED AI | PWA COLOURS | | |
| NC332 | A03801004 | Utility Yellow | | 6.59 |
| NC331 | A03901004 | Brilliant White | | 6.59 |
| WATER | R-BASED FL | UORESCENT COLOU | JRS | |
| NC334 | A03610004 | Safety Red | | 6.59 |
| NC335 | A03612004 | Pink | | 6.59 |
| NC336 | A03620004 | Caution Blue | | 6.59 |
| NC337 | A03630004 | Safety Green | | 6.59 |
| NC338 | A03650004 | Red/Orange | | 6.59 |
| NC333 | A03700004 | Orange | | 6.59 |
| SOLVE | NT-BASED | APWA COLOURS | | |
| NC328 | A03611007 | Red | | 7.41 |
| NC326 | A03621007 | Blue | | 7.41 |
| NC329 | A03631007 | Green | | 7.41 |
| NC327 | A03731007 | Bright Orange | | 7.41 |
| NC325 | A03821007 | High Visibility Yellow | | 7.41 |
| NC324 | A03900007 | Utility White | | 7.41 |
| SOLVE | NT-BASED | FLUORESCENT COL | OURS | |
| NC322 | A03613007 | Safety Red | | 7.41 |
| NC323 | A03614007 | Neon Green | | 7.41 |
| NE260 | A03615007 | Purple | | 7.41 |
| NE262 | A03622007 | | | 7.41 |
| NC320 | AT3701007 | Red/Orange | | 7.41 |
| NC321 | A03702007 | Orange | | 7.41 |

Note: Colours may not be exactly as shown



KP459

NC325

KRYLON

INDUSTRIAL

Z2400 SERIES SAFETY GLASSES

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UVA/UVB protection
- The safety glasses have non-slip rubber head grips for increased user comfort
- Flexible temple for added durability and flexibility to the frame
- Distortion-free
- Standard(s) Met: CSA Z94.3, ANSI Z87+
- Must be ordered in multiples of 12

| Model | Lens | Lens | PROMO |
|---------------|-----------------------------|--------------|-------|
| No. | Tint | Coating | PRICE |
| SET316 | Grey/Smoke | Anti-Scratch | 2.20 |
| SET319 | Blue, Indoor/Outdoor Mirror | Anti-Scratch | 2.99 |
| SGQ770 | Grey/Smoke | Anti-Fog | 3.05 |

Z2900 SERIES SAFETY GLASSES

- Narrow fit is suited for smaller facial features
- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Non-slip rubber head grips
- Distortion-free
- Standard(s) Met: ANSI Z87+/CSA Z94.3
- Must be ordered in multiples of 12



| Model | Lens | Lens | PROMO |
|-----------------|-------------------------------|--------------------|-------|
| No. | Tint | Coating | PRICE |
| SGQ758 | Grey/Smoke | Anti-Scratch | 3.50 |
| SGQ761 | Indoor/Outdoor Mirror | Anti-Scratch | 3.75 |
| SGQ764 * | Grey/Smoke | Anti-Scratch | 6.65 |
| SGQ767* | Indoor/Outdoor Mirror | Anti-Scratch | 7.15 |
| * With remov | able foam gasket and includes | quick release stra | an |

* With removable foam gasket and includes quick release strap

GRAIN COWHIDE LINED FITTERS GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Rubberized cuff
- Full leather-tipped fingers and knuckle straps
- Inner Lining: Cotton
- Must be ordered in multiples of 12

| Model | | PROMO | Model | | PROMO |
|--------|---------|-----------|-------------|-------|-------------|
| No. | Size | PRICE | No. | Size | PRICE |
| STANDA | RD QUAL | ITY | PREMIUN | | ТҮ |
| SAS502 | Ladies | 3.95/Pair | SAP223** | Large | 8.40/Pair |
| SM582 | Medium | 4.00/Pair | SAP233 | Large | 6.10/Pair |
| SAJ023 | Large | 4.15/Pair | * 4" Gauntl | et | |
| SM583* | Large | 4.60/Pair | | | n and thumb |
| SAP232 | X-Large | 4.75/Pair | | r and | |

Z1500 SERIES SAFETY GLASSES

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame

SET315

ZENTH

ZENOTH

- Standard(s) Met: CSA Z94.3
- Must be ordered in multiples of 12

| | | _ | |
|--------|-----------------------|--------------|-------|
| Model | Lens | Lens | PROMO |
| No. | Tint | Coating | PRICE |
| SEI524 | Grey/Smoke | Anti-Scratch | 4.85 |
| SEI527 | Indoor/Outdoor Mirror | Anti-Scratch | 5.25 |

ZENTH

SEI524

ZENGTH

SPLIT COWHIDE FITTERS GLOVES

- Premium quality
- Top split leather cowhide construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style
- Must be ordered in multiples of 12



SAS503

| ML. | | | |
|---------|-------------------------------|----------|-----------|
| No. | Description | Size | PRICE |
| SAS503 | Rubberized Cuff | Ladies | 3.05/Pair |
| SG281 | Rubberized Cuff | Medium | 3.00/Pair |
| SD602 | Rubberized Cuff | Large | 3.20/Pair |
| SD603 | Rubberized Cuff | X-Large | 3.40/Pair |
| SAP229 | Rubberized Cuff | 2X-Large | 3.55/Pair |
| SAP298 | Rubberized 4" Gauntlet Cuff | Large | 3.75/Pair |
| SAP227* | Rubberized Cuff | Large | 3.70/Pair |
| SAP226 | Launderable PE Cuff | Large | 3.30/Pair |
| SEI496 | Rubberized Cuff, Kevlar, Blue | Large | 3.95/Pair |

*Solid colour

LIGHTWEIGHT NITRILE FOAM PALM-COATED GLOVES

- 13-gauge seamless knitted polyester shell
- Excellent abrasion resistance
- Superior dexterity and comfort
- EN 388 Performance Levels: 4021
- EN 420 Dexterity Level: 5
- Must be ordered in multiples of 24

| Model No. | Size | PROMO PRICE | _ |
|--------------|--------------|----------------|-----------------|
| SAM629 | X-Small, 6 | 1.65/Pair | |
| SAM630 | Small, 7 | 1.65/Pair | |
| SAM631 | Medium, 8 | 1.65/Pair | ZENTH |
| SAM632 | Large, 9 | 1.65/Pair | |
| SAM633 | X-Large, 10 | 1.65/Pair | Salety Products |
| SAM634 | 2X-Large, 11 | 1.65/Pair | |

FIBREGLASS HANDLE SHOVELS

| AUR©RA | | orward turn | ed step for e | rubber grip xtra strength npered Steel |
|---|---|---------------------------------------|-----------------------------------|--|
| TLZ465 | NJ095 | NJ096 | D-Grip | Straight |
| | | | | |
| Model Blade | Handle | Handle | Overall | PROMO |
| Model Blade No. Size" | Handle Type | Handle Length" | Overall Length" | PROMO PRICE |
| | | | ••••• | |
| No. Size" | | | ••••• | |
| No. Size" ROUND POINT | Туре | Length" | Length" | PRICE |
| No. Size" ROUND POINT NJ093 11 x 8-1/2 | Type D-Grip | Length" | Length" | PRICE 22.10 |
| No. Size" ROUND POINT NJ093 11 x 8-1/2 TLZ465 11 x 8-1/2 | Type D-Grip | Length" | Length" | PRICE 22.10 |
| No. Size" ROUND POINT NJ093 11 x 8-1/2 TLZ465 11 x 8-1/2 SQUARE POINT | Type D-Grip Straight | Length" 32-1/2 36-1/2 | Length " 42 56 | PRICE 22.10 23.10 |
| No. Size" ROUND POINT NJ093 11 x 8-1/2 TLZ465 11 x 8-1/2 SQUARE POINT NJ094 11-1/2 x 8-1/2 | Type D-Grip Straight D-Grip | Length" 32-1/2 36-1/2 32-1/2 | Length " 42 56 42 | PRICE 22.10 23.10 21.45 |
| No. Size" ROUND POINT NJ093 11 x 8-1/2 TLZ465 11 x 8-1/2 SQUARE POINT NJ094 11-1/2 x 8-1/2 NJ095 11-1/2 x 8-1/2 | Type D-Grip Straight D-Grip | Length" 32-1/2 36-1/2 32-1/2 | Length " 42 56 42 | PRICE 22.10 23.10 21.45 |

HEAVY-DUTY FIBREGLASS HANDLE SHOVELS

- Heavy-duty, 12-gauge carbon steel blade
- Durable fibreglass handle with rubber grip
- Forward turned step for extra strength
- Ergonomic grip
- Welded fulcrum for added leverage



| Model No. | Blade Size" | Handle Type | Handle Length" | Overall Length" | PROMO PRICE |
|---------------|----------------|----------------|-------------------|--------------------|----------------|
| ROUND | POINT | | | | |
| TLZ466 | 11 x 9 | D-Grip | 30 | 41 | 29.45 |
| TLZ467 | 11 x 9 | Straight | 45-1/2 | 56-1/2 | 30.85 |
| SQUAR | E POINT | | | | |
| TLZ468 | 11 x 9 | D-Grip | 29-1/2 | 41 | 28.15 |
| TLZ469 | 11 x 9 | Straight | 47-1/2 | 56-1/2 | 29.60 |
| GARDE | N SPADE | | | | |
| NJ143 | 12 x 7-1/2 | D-Grip | 30-1/2 | 42 | 23.00 |
| DRAIN | SPADE | | | | |
| TLZ470 | 14 x 5-1/2 | D-Grip | 29 | 45 | 24.15 |
| NN241 | 16 x 6 | Straight | 45 | 61 | 25.45 |

TLZ469

TLZ470

NJ143

WOOD HANDLE SHOVELS

- Durable hardwood handle
- Forward turned step for extra strength
- Blade Material: Tempered Steel
 NN244



NN246

NN248

| Model | Blade | Handle | Handle | Overall | PROMO |
|-------|------------|----------|---------|---------|-------|
| No. | Size" | Туре | Length" | Length" | PRICE |
| ROUND | POINT | | | | |
| NN243 | 11 x 8-1/2 | D-Grip | 29 | 40 | 23.30 |
| NN244 | 11 x 8-1/2 | Straight | 48 | 59 | 24.50 |
| SQUAR | E POINT | | | | |
| NN245 | 11 x 8-1/2 | D-Grip | 29 | 40 | 22.85 |
| NN246 | 11 x 8-1/2 | Straight | 48 | 59 | 26.35 |
| DRAIN | SPADE | | | | |
| NN247 | 14 x 6 | D-Grip | 30 | 44 | 23.00 |
| NN248 | 14 x 6 | Straight | 46 | 60 | 25.30 |

HEAVY-DUTY WOOD HANDLE SHOVELS

- Heavy-duty, 12-gauge carbon steel blade
- Forward turned step for extra strength
- Ergonomic grip
- Welded fulcrum for added leverage



| Model | Blade | Handle | Handle | Overall | PROMO |
|---------|--------|----------|---------|---------|-------|
| No. | Size" | Туре | Length" | Length" | PRICE |
| ROUND | POINT | | | | |
| NN235 | 11 x 9 | D-Grip | 30 | 41 | 30.95 |
| NN236 | 11 x 9 | Straight | 48 | 59 | 32.70 |
| SQUARE | POINT | | | | |
| NN237 | 11 x 9 | D-Grip | 30 | 41 | 32.30 |
| NN238 | 11 x 9 | Straight | 48 | 59 | 35.15 |
| DRAIN S | SPADE | | | | |
| NN239 | 16 x 6 | D-Grip | 29 | 45 | 25.20 |
| NN240 | 16 x 6 | Straight | 45 | 61 | 26.75 |

BROADCAST SPREADERS WITH STAINLESS STEEL HARDWARE



| Model No. | Load Capacity | Coverage sq.ft. | Pneumatic Tire Size" | PROMO PRICE |
|--------------|------------------|--------------------|-------------------------|----------------|
| NN138 | 70 lbs. | 15000 | 10 x 3 | 293.00 |
| NN139 | 125 lbs. | 27 000 | 14 x 5 | 420.00 |

BROADCAST SPREADERS

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Spread Width: 10-12'
- Includes: Raincover, screen

| Model | Load | Coverage | PROMO |
|-------|----------|----------|--------|
| No. | Capacity | sq. ft. | PRICE |
| NN137 | 50 lbs. | 11 000 | 219.00 |
| NJ142 | 100 lbs. | 22000 | 294.00 |

HYBRID GARDEN HOSES

- All weather flexibility even in sub-zero conditions: -25°C (-13°F) to +70°C (158°F)
- Lightweight, lay flat and no memory, kink resistant under pressure
- Abrasion resistant outer cover
- UV, Ozone, cracking, chemicals, and oil resistant
- 450 PSI maximum working pressure
- Hose Diameter: 5/8"
- Hose Material: Copolymer

| Model | Hose | PROMO | | | |
|-------|---------|-------|--|--|--|
| No. | Length' | PRICE | | | |
| NO963 | 50 | 41.35 | | | |
| NO964 | 100 | 82.35 | | | |
| - | | | | | |



TOOLS

NN137

NI142

| | ous-spray ger | IP NOZZI stainless steel cli essories | | | |
|---|---|--|--|---|---------------------------------|
| NM814 | Ň | M815 NM | 816 | NO590 | NM817 |
| | Max. | | | | |
| | | | | | |
| Model | Pressu | re | | Body | PROMO |
| Model No. | Pressu PSI | | nsulated | | PROMO |
| No. | PSI | | | | |
| No. | PSI | Water I | | | PRICE |
| No. VINYL M NM814 | PSI OLDED 100 | Water I COMFORT G | RIP No | Material | PRICE |
| No. VINYL M NM814 | PSI OLDED 100 | Water I COMFORT G Cold | RIP No | Material | PRICE |
| No. VINYL M NM814 HEAVY-D | PSI OLDED 100 OUTY C | Water I COMFORT G Cold | RIP No DN & CO Yes | Material | PRICE 1 7.99 5.99 |
| No. VINYL M NM814 HEAVY-D NM815 | PSI OLDED 100 OUTY C 100 | Water I COMFORT G Cold ONSTRUCTIC Warm & Cold | RIP No DN & CO Yes | Material Zinc & Viny MPONENTS Zinc & ABS | PRICE 1 7.99 5.99 |
| No. VINYL M NM814 HEAVY-D NM815 NM816 NO590 | PSI 0LDED 100 0UTY C 100 100 60 | Water I COMFORT G Cold ONSTRUCTIC Warm & Cold Warm & Cold | RIP No DN & CO Yes Yes No | Material Zinc & Viny MPONENTS Zinc & ABS Zinc & TPR | PRICE 1 7.99 5.99 5.40 |

CONTRACTOR DUTY RUBBER HOSES

- All weather flexibility even in sub-zero conditions: -30°C (-22°F) to +82°C (180°F)
- Kink resistant under pressure
- Excellent abrasion resistant outer cover
- 400 PSI maximum pressure
- Easy coiling after use
- Hose Diameter: 5/8"
- Couplings: Brass

| Model No. | Hose Length' | PROMO PRICE |
|--------------|-----------------|----------------|
| NO486 | 25 | 34.45 |
| NO487 | 50 | 53.35 |
| NO488 | 100 | 93.25 |

GARDEN HOSES

- Hose made from virgin PVC, featuring good flexibility, abrasion, UV, oil and cracking resistance
- Stay flexible in temperatures: -10°C(14°F) to +65°C(150°F)
- Lightweight, kink resistant under pressure
- Abrasion resistant outer cover
- UV, Ozone, cracking, chemicals, and oil resistant
- 300 PSI maximum working pressure
- Hose Diameter: 5/8"
- Couplings: Brass

| Model No. | Hose Length' | PROMO PRICE |
|--------------|-----------------|----------------|
| NO965 | 25 | 20.20 |
| NO966 | 50 | 29.95 |
| NO967 | 100 | 52.40 |



AURØRA

AURØRA

TOOLS

NO486

LIGHT INDUSTRIAL **AIR CIRCULATING FANS**

- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Open motor
- Voltage: 120 V



MATRIX

EA666

| Model | | | | CFM | | PROMO |
|--------|----------------|------|------|------|------|--------|
| No. | Description | HP | High | Med | Low | PRICE |
| OSCILL | ATING, 3 SPEED | S | | | | |
| EA282* | 26" Pedestal | 1/4 | 7525 | 6060 | 4050 | 285.00 |
| EA283* | 30" Pedestal | 1/3 | 8775 | 7500 | 6780 | 387.00 |
| EA284 | 26" Wall Mount | 1/4 | 7525 | 6060 | 4050 | 268.00 |
| EA654 | 30" Wall Mount | 1/3 | 8775 | 7500 | 6780 | 280.00 |
| NON O | SCILLATING, 2 | SPEE | DS 🛛 | | | |
| EA657* | 26" Pedestal | 1/4 | 7700 | - | 6060 | 380.00 |
| EA571* | 30" Pedestal | 1/3 | 8000 | - | 7000 | 290.00 |
| EA655 | 26" Wall Mount | 1/4 | 7700 | - | 6060 | 238.00 |
| EA656 | 30" Wall Mount | 1/3 | 8000 | - | 7000 | 252.00 |

Features adjustable height and a heavy-duty round base for added stability

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal 89-124 cm
- No. of Speeds: 2
- Voltage: 120 V



MATRIX


| Model | | Motor | | CF/ | Ν | PROMO |
|--------|----------------|--------|-----|--------|------|--------|
| No. | Description | Туре | HP | High | Low | PRICE |
| OSCILL | ATING | | | | | |
| EA643* | 24" Pedestal | Open | 1/4 | 11800 | 7760 | 555.00 |
| EA647* | 30" Pedestal | Closed | 1/3 | 13200 | 6700 | 680.00 |
| EA645 | 24" Wall Mount | Closed | 1/4 | 11 500 | 7680 | 385.00 |
| EA649 | 30" Wall Mount | Closed | 1/4 | 10780 | 7760 | 470.00 |
| NON O | SCILLATING | | | | | |
| EA642* | 24" Pedestal | Open | 1/4 | 11800 | 7760 | 328.00 |
| EA646* | 30" Pedestal | Closed | 1/4 | 10780 | 7440 | 475.00 |
| EA644 | 24" Wall Mount | Closed | 1/4 | 11 500 | 7680 | 293.00 |
| EA648 | 30" Wall Mount | Closed | 1/4 | 10780 | 7440 | 326.00 |

round base for added stability

MATRIX

PROMO PRICE

164.00



HEAVY-DUTY OSCILLATING FANS • 3-speed, 1/3 HP

- All-metal construction • Pedestal model features adjustable height and heavy-duty round base for added stability
 - Diameter: 30"
 - Open motor



| Model | | | PROMO | | |
|-------|-------------|-------|-------|------|--------|
| No. | Description | High | Med | Low | PRICE |
| EA666 | Pedestal | 13200 | 7321 | 4758 | 727.00 |
| EA667 | Wall Mount | 13400 | 7805 | 5070 | 591.00 |

| | | • | • Adjust: Sliding sw Can be u n | WALL FAN able tilting fan head ritch at front of base sed in oscillating or on-oscillating mode • Diameter: 20" • No. of Speeds: 3 |
|--------------|------|------------|--|--|
| Y | | 70 | 00 | • Voltage: 120 V • HP: 1/5 |
| Model | | 70 CFM | 00 | • Voltage: 120 V |
| Model No. | High | CFM Med | Low | • Voltage: 120 V |



OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Voltage: 120 V
- Power: 220 W
- Diameter: 30"
- No. of Speeds: 3

MATRIX INDUSTRIAL PRODUCTS

| Model No. | High | CFM Med | Low | |
|--------------|------|------------|------|--|
| EA779 | 7200 | 5470 | 3780 | |

PROMO PRICE

| | Sector A | | d as a pedo netal cons | estal fan o • Fully as truction p | |
|--------------|----------|-------------------------------|---------------------------|---|--|
| T | 16 | | • Equippe | easy mar | • HP: 1/4 of Speeds: 3 |
| | | Ł | • Ope | • D] • No | Prive System: Direct Drive n-oscillating 120 V/60Hz |
| • | | MATRIX INDUSTRIAL PRODUCTS | CEM | • Powe | er Cord: 9.8' |
| Model No. | Dia." | High | CFM Med | Low | PROMO PRICE |

7000

4500

3500

469.00

24" ROLL-ABOUT FAN

24

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord
- Open motor

EB116

• Non-oscillating

| Model | CFM | | | |
|-------|-------|------|------|--|
| No. | High | Med | Low | |
| EA476 | 10760 | 7770 | 7040 | |



OUTDOOR OSCILLATING WALL FAN

- 9' power cord with UL GFCI plug
- Enclosed/waterproof motor type
- All-metal construction
- Chrome grill stand and base painted black
- HP: 1/7
- Motor: 120 V/60 Hz, waterproof

• Drive System: Direct Drive

MATRIX

| Model No. | Dia." | High | CFM Med | Low | |
|--------------|-------|------|------------|------|--|
| EB115 | 30 | 7200 | 5500 | 3800 | |

OUTDOOR MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)All-metal construction, chrome grill
- All-metal construction, chrome gril stand and base painted black
- Misting kit included with direct hose connection
- Can be used indoor/outdoor
- Diameter: 30"
- No. of Speeds: 3
- HP: 1/7Base Diameter: 27"
- 7" **68000**

MATRIX

| Low | 141-44- |
|------|---------|
| Low | Watts |
| 3780 | 220 |
| | |

HIGH VELOCITY FLOOR FAN

- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3
- HP: 0.2
- CFM High: 4900
- CFM Med: 4400
- CFM Low: 4150



Model No. EA661

LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FANS

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- Motor: 120 V/60 Hz
- Power: 215 W
- 360° vertical tilt angle



MATRIX INDUSTRIAL PRODUCTS

| Model | | No. of | | | CFM | | PROMO |
|-------|-------|--------|------|------|------|------|--------|
| No. | Dia." | Speeds | HP | High | Med | Low | PRICE |
| EA778 | 24 | 3 | 3/10 | 7770 | 6000 | 4200 | 185.00 |
| EB114 | 30 | 2 | 1/3 | 9500 | - | 6700 | 412.00 |



LIGHT INDUSTRIAL DIRECT-DRIVE DRUM FANS

- 120 V/60 Hz
- All-metal construction
- 6' SJT type power cord
- 6" casters and easy
- moving handle
- No. of Speeds: 2

MATRIX INDUSTRIAL PRODUCTS

| INDUSTRIAL P | | | | EA28 | 36 | |
|--------------|-------|-----|--------|------|-------|--------|
| Model | | | CF | м | | PROMO |
| No. | Dia." | HP | High | Low | Watts | PRICE |
| EA286 | 28 | 2/5 | 8050 | 6650 | 290 | 250.00 |
| EA288 | 36 | 3/5 | 11 200 | 9100 | 405 | 493.00 |

HIGH VELOCITY FLOOR FANS

| EA290 | • 3-s | - | • All-meta • 3-p ground | 1/4 HP motor al construction rong plug with industrial wire Rotates up for vertical airflow |
|---------------------|-------|------|-------------------------------|--|
| Model | | CFM | | PROMO |
| No. Dia." | High | Med | Low | PRICE |
| BLACK FINISH | | | | |
| EA528 16 | 2370 | 1950 | 1560 | 73.25 |
| CHROME FINISH | | | | |
| ernterne rintion | | | | |

HIGH VELOCITY FLOOR FAN

- Powerful fan output with 3 speed settings
- Vertical tilt feature and a rotating grill
- Aluminum base
- Diameter: 18"
- No. of Speeds: 3
- Power: 0.087HP (65W)
- Max. Speed Rating: 1300 RPM
- Voltage: 120 V
- Power Cord Length: 6'

Model No. EB289





PROMO PRICE

PROMO PRICE


OSCILLATING TOWER FAN Wide-angle oscillation

- Stable base
- Type: Pedestal
- No. of
- Colou
- Voltag
- Power

Model No. EA827

- Frequ
- Overa •

| of Speeds: 3 ur: Black ge: 120 V r: 40 W hency: 60 Hz all Height: 32" | PROMO PRICE 5975 | |
|--|---------------------|--|
| Dia." 6 | INDUSTRIAL PRODUCTS | |



WALL MOUNT OSCILLATING FAN

- Rotating or fixed air direction
- Easy to assemble · Remote with timer mode included
- 3 speed with Eco mode feature
- Diameter: 16"
- Motor: 120 V/55 Hz

MATRIX



| Model | CFM | | | |
|-------|------|------|------|----------|
| No. | High | Med | Low | Eco mode |
| EA526 | 1600 | 1400 | 1220 | 940 |

RECHARGEABLE INDOOR/OUTDOOR FAN

- Includes a lithium-ion battery and charger cable
- · Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- USB charging port on the control box can be used to recharge digital devices
- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor
 Power: 25 W
 Voltage: 24 V
 RPM: 1700
- Re-Charge time: 4-5 Hrs
- USB: 5 V, 1 A



| Model | | CFM |
|-------|------|------|
| No. | Dia" | High |
| EA828 | 12 | 1600 |

TURBO FAN

- 3-speed
- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- · Fully assembled and ready to use
- Type: Floor
- Power: 130 W

| MATRIX | |
|--------------------|--|
| NDUSTRIAL PRODUCTS | |

| | DUCTS | | - | - | |
|--------------|-------|------|------------|------|--|
| Model No. | Dia." | High | CFM Med | Low | |
| EB117 | 20 | 2600 | 2100 | 1800 | |

PROMO PRICE



PROMO PRICE

CLIP-ON & DESK FAN

- 2-speed, low and high settings
- Tilting head
- Fully assembled and ready for use
- Convertible clip and desk feature



20" BOX FAN

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Designed to efficiently circulate airflow to reach desired comfort levels with a three speed-settings feature
- Top-mounted controls



AIR CURTAINS WITH REMOTE CONTROL

- Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- Airflow directed by oscillating louvers
- Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- No. of Speeds: 2
- Voltage: 120 V
- Maximum
- Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60



EB290

MATRIX INDUSTRIAL PRODUCTS

| Model | | | Dim. | | | CF | м | PROMO |
|-------|----|---|-------|---|-------|------|-----|--------|
| No. | W" | х | D" | х | Н" | High | Low | PRICE |
| EB290 | 36 | х | 8-1/2 | x | 8-5/8 | 815 | 670 | 214.00 |
| EB291 | 48 | х | 8-1/2 | х | 8-5/8 | 990 | 816 | 253.00 |

DEHUMIDIFIER

- Water bucket full indicator
- Omni-directional casters
- 24-hour timer
- 6 L tank capacity
- Auto restart function
- and auto defrosting
- Energy-Star Certified
- Washable filter
- LED display





| Model | Capacity | Coverage | MATRIX |
|-------|----------|----------|---------------------|
| No. | Pt. | sq. ft. | |
| EA831 | 50 | 4000 | INDUSTRIAL PRODUCTS |



MOBILE 3-IN-1 AIR CONDITIONER

- 3-in-1 system (A/C, fan, and dehumidifier)
- Features Control panel with LED display on unit with remote control
- Equipped with casters
- 24 hour timer
- Window kit included
- Portable
- Voltage: 115 V
- Frequency: 60 Hz
- Overall Dimensions: 11-13/16" W x 12-5/8" D x 27-3/16" H



| Model | Coverage | BTU | Cooling | PROMO |
|-------|-----------|--------|---------|--------|
| No. | sq.ft. | Rating | Speed | PRICE |
| EB118 | 300 - 350 | 8000 | 2 | 499.00 |



| Model | Coverage | BTU | Cooling | PROMO |
|-------|-----------|--------|---------|--------|
| No. | sq.ft. | Rating | Speed | PRICE |
| EA830 | 450 - 550 | 12000 | 3 | 644.00 |

ELECTRONIC WINDOW HORIZONTAL AIR CONDITIONERS

- 3 fan speeds
- Washable filterRemote control included
- Includes: Window filler panel,
- Includes: Window filler panel mounting hardware
- Fits a 14" x 23-36" window opening
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0







| Model | Coverage | BTU | PROMO |
|-----------|-------------------|----------|--------|
| No. | sq.ft. | Rating | PRICE |
| 18-1/2" W | X 15-11/16" D X 1 | 3-3/8" H | |
| EB119 | 300 - 350 | 8000 | 418.00 |
| 19" W X 1 | 4-19/32" D X 21-1 | 3/32" H | |
| EB236 | 450 - 550 | 12000 | 540.00 |

MATRIX



HYDRATION DRINK FREEZE POPS

- By exceeding OHS recommendations for heat stress prevention, provides the body with crucial vitamins and minerals
- Caffeine-free, with no artificial colours
- Formulated and made in Canada
- Flavour: Mixed Flavours
- Format: Frozen
- Serving Size: 66 ml
- Servings/Case: 252

Model No. SHI657

MFG No. BAG1418-FRZ

HYDRATION DRINK MIX

- Convenient and waterproof single serve stick packs reduce the transmission of germs compared to communal hydration stations
- Comes in a resealable stand-up pouch
- Add stick pack to bottle with 500 750 ml of cold water and shake well

PROMO PRICE

/Case

- By exceeding OHS recommendations for heat stress prevention, provides the body with crucial vitamins, minerals and amino acids without any added sugar or artificial colours
- Format: Single Serve
- No. of Single Servings Per Bag: 40



THERSTY

THERSTY

| Model | MFG | | PROMO |
|--------|-------------|----------------|-------|
| No. | No. | Flavour | PRICE |
| SHI651 | BAG1040-RAZ | Blue Raspberry | 42.95 |
| SHI652 | BAG1040-LEM | Lemonade | 42.95 |
| SHI653 | BAG1040-FRP | Fruit Punch | 42.95 |
| SHI654 | BAG1040-ORN | Orange | 42.95 |
| SHI655 | BAG1040-LLM | Lemon-Lime | 42.95 |

SHI651

WORKER'S PPE STARTER KITS

- Includes: Hard hat, safety glasses, work gloves, ear plugs, respirator
- Hard hat: CSA type 1 with ratchet suspension
- Safety glasses: I/O blue mirror compliant with CSA standard
- Ear plugs: Corded CSA class AL with NRR rating of 32 dB
- Gloves: Split cowhide patch palm leather
 Respirator: NIOSH N95 approved



LADIES' WORKER PPE STARTER KITS

- Includes: Hard hat, safety glasses, work gloves, ear plugs, respirator
- Hard Hat Certification(s): ANSI Type I / CSA Type 1
- Hard Hat Suspension Type: Ratchet

Blue

- Safety Glasses Standard(s) Met: Meet ANSI Z87+ / CSA Z94.3
- Safety Glasses Style: Grey/Smoke Lens Tint & Anti-Scratch Coating

SGH559

- Gloves: Premium Split Cowhide
- Ear Plugs Certification(s): ANSI S3.19-1974/CSA Class AL

SEH892

• Ear Plugs NRR dB rating: 30

ZENTH®

| Model | Hard Hat | |
|--------|----------|-------------|
| No. | Colour | PROMO PRICE |
| SGH559 | Pink | |
| SGH560 | White | |
| SGH561 | Yellow | |

Z1900 SERIES SAFETY GLASSES

- Modern design with extended wraparound coverage
- · Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece · Lens Coating: Anti-Scratch **ZEN**/TH • Distortion-free • Standard(s) Met: CSA Z94.3 **SEK286** • Must be ordered in multiples of 12 **SEK289** Model l ens PROMO PRICE Tint No. **SEK286** 4.90 Grey/Smoke

Indoor/Outdoor Mirror

5.50

Z3300 SERIES SAFETY GLASSES

- Flexible front frame that helps alleviate pressure on the head
- · Sporty and sleek frame design
- · Co-injected temple pad will not peel off easily
- · Polarized lenses for outdoor activities to reduce
- glare and to see sharper and clearer
- Standard(s) Met: ANSI Z87+/CSA Z94.3
- Lens Tint: Grey/Smoke
- Lens Coating: Anti-Scratch/Polarized
- Must be ordered in multiples of 6

ZENOTH

SEK289

Model No. **SGW884**

ZX-2 PREMIUM 3/4 COATED GLOVES

- Sanitized[®] coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for maximum grip in dry, wet and oily conditions
- Purple flat nitrile 3/4 coating to prevent liquids from permeating through the glove shell
- Grey seamless nylon/spandex 18-gauge shell for maximum dexterity
- EN 388 Performance Levels: 4121
- Must be ordered in multiples of 12

| Model | | PROMO | |
|--------|--------------|-----------|--------|
| No. | Size | PRICE | |
| SDP444 | Small, 7 | 6.50/Pair | |
| SDP445 | Medium, 8 | 6.50/Pair | ZENGTU |
| SDP446 | Large, 9 | 6.50/Pair | |
| SDP447 | X-Large, 10 | 6.50/Pair | |
| SDP448 | 2X-Large, 11 | 6.50/Pair | |

ZENTH

SDP444

Z500 SERIES SAFETY GLASSES

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Distortion-free
- Standard(s) Met: CSA Z94.3, ANSI Z87+
- Must be ordered in multiples of 12

| | Safety Products | | |
|--------|-----------------------------|--------------|-------|
| Model | Lens | Lens | PROMO |
| No. | Tint | Coating | PRICE |
| SAS362 | Grey/Smoke | Anti-Scratch | 2.00 |
| SEA551 | Blue, Indoor/Outdoor Mirror | Anti-Scratch | 2.95 |
| SGQ769 | Grey/Smoke | Anti-Fog | 2.80 |

ZENTH

SEA551

SDP438

ZX-1 PREMIUM TOUCHSCREEN COMPATIBLE GLOVES

- Sanitized[®] coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for optimal grip in dry, wet and oily conditions
- Grey seamless nylon/spandex 15-gauge shell for optimal dexterity
- Foam nitrile coating improves
- abrasion resistance • EN 388 Performance Levels: 4131
- EN 420 Dexterity Level: 5
- ZENTH • Must be ordered in multiples of 12

| Model | | PROMO |
|--------|--------------|-----------|
| No. | Size | PRICE |
| SDP438 | X-Small, 6 | 3.65/Pair |
| SDP439 | Small, 7 | 3.65/Pair |
| SDP440 | Medium, 8 | 3.65/Pair |
| SDP441 | Large, 9 | 3.65/Pair |
| SDP442 | X-Large, 10 | 3.65/Pair |
| SDP443 | 2X-Large, 11 | 3.65/Pair |

POLYURETHANE COATED GLOVES

- 18G HPPE liner provides the highest level of dexterity and comfort
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Excellent cut, abrasion and tear resistance
- Cut Resistance: ASTM ANSI Level A2, EN 388 Level B
- EN 388 Performance Levels: 3X41B
- Coating Style: Dipped Palm
- Must be ordered in multiples of 12

| Model | | PROMO |
|--------|---------|-----------|
| No. | Size | PRICE |
| SGW790 | Small | 5.15/Pair |
| SGW791 | Medium | 5.15/Pair |
| SGW792 | Large | 5.15/Pair |
| SGW793 | X-Large | 5.15/Pair |



SQWINCHER® SQWEEZE FREEZER POPS

- The great taste and performance of Sqwincher* in a refreshing frozen treat
- Simply freeze each package, then Sqweeze!Mixed case consists of Orange, Grape,
- Lemon-Lime, Cherry and Mixed Berry flavours.
- Serving Size: 3 oz.
- Servings/Package: 150

Model No. SAM804 MFG No. 11130

SR933



SQWINCHER® LIQUID CONCENTRATE

Specially formulated no-stir formula
Screw-on cap allows you to reseal and store the bottle
64-oz. bottle size yields 5 gallons

Orange

Fruit Punch

Tropical Cooler



11021

11022

11024

QWIK STIK[™] KWIK PAK[™]LITE REHYDRATION DRINK

- Plastic container has a snap lock and hold four of each flavour of the Qwik Stiks^{TM}

SR934

SR935

SR937

- Ideal size fits almost anywhere including pockets, glove compartments, first aid kits, tool boxes, and vending machines
- Multiple flavours help to reduce flavour fatigue to ensure the worker enjoys the drink and hydrates properly
- Can be refilled from the 50 Qwik Stik bag, controlling consumption
- Calorie and sugar free single-serve pouches
- Format: Single Serve
- Serving Size oz.: 0.11
- Serving Yield (oz.): 20
- Servings/Package: 16

Model No. SEI283 MFG No. 11QWKP-MF



SQWINCHER ZERO® QWIK STIK™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag





| Model | MFG | |
|--------|-------------|---------------------|
| No. | No. | Flavour |
| SAN505 | 11060100-OR | Orange |
| SAN506 | 11060102-FP | Fruit Punch |
| SEI282 | 11060453-SL | Strawberry Lemonade |
| SAP496 | 11060101-MB | |

SOWINCHER® REHYDRATION DRINK FAST PACK®

- Convenient and cost effective packaging format
- Packet can be used as a drinking cup; simply open it and add water to fill
- Features a no-stir formula
- Handy, portable size lets you take Sqwincher almost anywhere
- Format: Single Serve
- Serving Size oz.: 0.6
- Serving Yield (oz.): 6
- Servings/Package: 50





| Model | MFG | | 18 mL |
|---------------|-------|------------|---------------------------------------|
| No. | No. | Flavour | |
| SAF872 | 11080 | Lemonade | |
| SAF874 | 11082 | Lemon-Lime | S S S S S S S S S S S S S S S S S S S |
| SAF878 | 11086 | Orange | |



CHILL-ITS® 6700 COOLING BANDANAS

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to 4 hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak
- Must be ordered in multiples of 8

SEB128



| Model | MFG | | PROMO |
|--------|-------|----------------------------|-------|
| No. | No. | Colour | PRICE |
| SEB128 | 12306 | Navy Western | 2.65 |
| SEB134 | 12304 | Camouflage | 2.65 |
| SEB139 | 12341 | Flames | 2.65 |
| SEL863 | 12301 | High Visibilty Lime-Yellow | 2.65 |
| SGP152 | 12329 | Skulls | 2.65 |
| SGP153 | 12332 | Black | 2.65 |

CHILL-ITS® 6602 COOLING TOWELS

• A hyper-evaporative poly vinyl acetal (PVA) material that retains water while remaining dry to the touch to provide sweet cooling relief

- Activates quickly and easily when run under water for one minute
 - Wear for hours,
 - or wipe off for quick relief
 - Lightweight and low profile for use with hard hats and helmets
 - Reusable, just re-soak
 - Machine washable

• Must be ordered in multiples of 4

| . | Model No. | MFG No. | Colour | PROMO PRICE |
|-------------|---------------|------------|---------------|----------------|
| | SEB126 | 12420 | Blue | 8.49 |
| ergodyne | SEI753 | 12439 | Hi-Vis Lime | 8.49 |
| A WORK GEAL | SEI754 | 12441 | Hi-Vis Orange | 8.49 |
| | SEI755 | 12442 | Pink | 8.49 |
| | SEI756 | 12438 | Grey | 8.49 |



CHILL-ITS[®] 6717 COOLING HARD HAT PAD + SHADE

Soak in cold water 2-5 minutes to activate

 Remains hydrated up to 4 hours

 Conveniently attaches to standard hard hat suspension with hook and loop closures

 Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
 Colour: Blue

Model No. SAP940 MFG No. 12336

| | С | HILL-ITS [®] 6710 CO | OLING |
|--------|--------|--|--|
| SAP9 | 941 | TRIANGLI | E HATS |
| | SAP943 | Soak in cold water 2-5 minut Remains hydrated u Activated cooling por cooling power where you to fight heat stress | es to activate up to 4 hours lymers bring need it most s and fatigue , just re-soak |
| Model | MFG | | PROMO |
| No. | No. | Colour | PRICE |
| SAP941 | 12325 | Red Western | 5.99 |
| SAP942 | 12326 | Navy Western | 5.99 |
| SAP943 | 12324 | Camouflage | 5.99 |
| SEC860 | 12327 | Blue | 5.99 |

CHILL-ITS® 6660 HARD HAT BRIMS




| No. | No. | Colour | PRICE | |
|--------|-------|---------------|-------|--|
| SEI751 | 12640 | Hi-Vis Lime | 13.99 | |
| SEI752 | 12641 | Hi-Vis Orange | 13.99 | |
| | | | | |

SAP936

CHILL-ITS® 6665 COOLING VESTS

- Lightweight, durable and washable
- V-neck with zipper closure
- Water-repellent liner
- Soak in cold water 2-5 minutes to activate
- Enjoy cooling relief and comfort for up to 4 hours
- Reusable, just re-soak
- High Visibility Lime-Yellow



RK GEAR

Pricing in effect until August 30, 2024 or while quantities last. Taxes & freight extra. Issue #SCF224044NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.